



## Certificate of Analysis



Nviro Business Hub unit 6, Ou Wapad road, Ifafi, Hartbeespoort, 0260 | Tel: 012 252 7588 | www.nviroteklabs.co.za

Datum Ontvang/Date Received: 2026-01-14

Verslag nr./Report no.:

WO 192427:246298

Datum Begin/Date Commenced: 2026-01-14

Datum Gerapporteer/Date Reported:

2026-01-23

|         |                                                        |                                  |                          |
|---------|--------------------------------------------------------|----------------------------------|--------------------------|
| To/Aan: | PHOKENG GIPS EN KALK (PTY) LTD                         | Representative/Verteenwoordiger: | Anna                     |
|         | 2717213156                                             | Farm Name/Plaas Naam:            |                          |
|         | P.O. BOX 1436 FONTAINEBLEAU RANDBURG SOUTH AFRICA 2032 | Order/Bestel#:                   | Anna                     |
|         |                                                        | Email:                           | info@njatiholdings.co.za |

| Lab Nommer | Sample Reference        | Ca (Total) | S (Total) | As    | Cd    | Cr    | Cu    | Pb    | Hg    | Ni    | Se    | Zn    | Co    | pH * | Moisture 60C * | CaSO4.2H2O * | <2.0 mm Sieve * | <0.25 mm Sieve * |
|------------|-------------------------|------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|----------------|--------------|-----------------|------------------|
| Lab Number | Monsterverwysing        | %          | %         | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | mg/kg | -    | %              | %            | %               | %                |
| A26-6-2    | Phokeng Gypsum Dec 2025 | 21.63      | 16.99     | <6.25 | <0.25 | 7.46  | 19.70 | 13.41 | <1.25 | 6.11  | <6.25 | <6.25 | <1.25 | 3.14 | 7.26           | 91.24        | 81.19           | 69.07            |

## NOTAS / NOTES:

Amendment to report (192427:245193). This version replaces all previous test reports. Client request REASON:Add Moisture.

## Resultate goedgekeur deur / Results approved by:

Elfriede Keyser

elfriede.k@nvirotek.co.za

Technical Signatory



## Certificate of Analysis



Nviro Business Hub unit 6, Ou Wapad road, Ifafi, Hartbeespoort, 0260 | Tel: 012 252 7588 | www.nviroteklabs.co.za

### BELANGRIK / IMPORTANT

- \* Results marked with \* in this report are not included in the Schedule of Accreditation for this laboratory.
- \*\* Results marked with \*\* are Subcontracted Tests and are not included in the Schedule of Accreditation for this laboratory.
- Where a result is reported as less than (<) a value, the result obtained is below the limit of quantification for the specific analyte.
- < For Mycotoxins and Trihalomethanes: if results are less than the working range determined in the validation for each analyte and matrix, the results shall be reported as less than ( < ) the lower limit of the working range obtained.

1. This test report shall not be reproduced except in full, without written approval of the laboratory. These results are only applicable to the tests performed on the sample as received.
2. Results will be reported electronically in a PDF format. The Laboratory will not be responsible for any unauthorised changes made to results after the report was issued.
3. Uncertainties of Measurement, Limits of Detection and Method Descriptions will be provided upon request.
4. Decision Rule: Results reflecting on Test Reports are the actual results as obtained at the time of testing, and do not include any uncertainty considerations. NviroTek does not issue any statements of conformity, unless by prior arrangement.
5. Any opinions and interpretations expressed herein are outside the scope of accreditation for the laboratory.

| Test       | Method  | Test                                  | Method      |
|------------|---------|---------------------------------------|-------------|
| Ca (Total) | WIN 009 | Se                                    | WIN 057     |
| S (Total)  | WIN 009 | Zn                                    | WIN 057     |
| As         | WIN 057 | Co                                    | WIN 057     |
| Cd         | WIN 057 | pH*                                   | WIN 093     |
| Cr         | WIN 057 | Moisture 60C*                         | WIN 094     |
| Cu         | WIN 057 | CaSO <sub>4</sub> .2H <sub>2</sub> O* | Calculation |
| Pb         | WIN 057 | Less than 2.0 mm Sieve*               | WIN 091     |
| Hg         | WIN 057 | Less than 0.25 mm Sieve*              | WIN 091     |
| Ni         | WIN 057 |                                       |             |

End of Report